



**BEST SELLERS
QUICK SUPPLY**

HUNG PHAT INVESTMENT SERVICES CO., LTD

Address: Lot H48- Ngo Thi Nham land use right auction,
Ha Cau Ward, Ha Dong District, Hanoi City
Office: 81 TT20 Van Phu Urban Area, Phuc La Ward,
Ha Dong District, Hanoi City.
Website: www.hplight.com.vn

ELV-CON-VLED

THINK DESIGN



⌀ 35
Ø40
VSF02-F1 1/3W



⌀ 25
Ø30
VSF03-F0 1/3W




⌀ 35
Ø38
VSF03-F1 3/6W



⌀ 50
Ø53
VSF03-F2 6/8W



⌀ 50
Ø55
VSF03-T2 8/10W



⌀ 35
Ø45
VSF03-T1 8/10W



⌀ 50
Ø55
VSF06-T2 8/10W



⌀ 55
Ø80
VSF07-T2 8/10W



⌀ 35
Ø38
VSF04-F1 6/8W



⌀ 35
Ø55
VSF05-F1 6/8W



⌀ 35
Ø38
VSF04-T1 6/8W



⌀ 35
Ø55
VSF05-T1 6/8W



⌀ 50
Ø58
VSF04-F2 8/10W



⌀ 50
Ø75
VSF05-F2 8/10W



⌀ 50
Ø58
VSF04-T2 8/10W



⌀ 50
Ø75
VSF05-T2 8/10W



65
Ø72
VND00-F2A 6/8/10/12/15W



65
Ø72
VND00-F2B 6/8/10/12/15W



65
Ø72
VND00-T2A 6/8/10/12/15W



65
Ø72
VND00-T2E 6/8/10/12/15W



75
Ø88
VND00-T3A 10/12/15W



75
Ø88
VND00-T3A 10/12/15W



Honeycomb



Black



White



Silver



Lighting
Without Seeing Lamp

DARK



⌀ 55
⌀63
VND01-F2 6/8W



⌀ 80
⌀90
VND01-F3 8/12W



⌀ 105
⌀115
VND01-F4 15/20/25W



⌀ 130
⌀140
VND01-F5 25/30/35W



⌀ 85
⌀160
VND02-F3 8/12/15W



⌀ 110
⌀187
VND02-F4 15/20/25W




⌀ 55
⌀63
VND01-T2 6/8W



⌀ 80
⌀90
VND01-T3 8/12W



⌀ 105
⌀115
VND01-T4 15/20/25W



⌀ 130
⌀140
VND01-T5 25/30/35W



⌀ 85
⌀160
VND02-T3 8/12/15W



⌀ 110
⌀187
VND02-T4 15/20/25W



85
Ø160
VND04-T3R 8/12/15W



110
Ø187
VND04-T4R 15/20/25W



80*80
Ø150*80
VND04-T3S 8/12/15W



110*110
Ø180*110
VND04-T4S 15/20/25W



80
Ø90
VND03-T3R 8/12/15W




110
Ø115
VND03-T4R 15/20/25W




75*75
Ø85*85
VND03-T3S 8/12/15W






105*105
Ø115*115
VND03-T4S 15/20/25W



Honeycomb



Honeycomb



Honeycomb



55
Ø63
VND05-F2 6/8W



80
Ø90
VND05-F3 8/12/15W



85
Ø160
VND06-F3 8/12/15W



80
Ø90
VND07-T3 8/12/15



85
Ø160
VND08-T3 8/12/15





85
Ø93
VND09-T3R 12/15W



105
Ø115
VND09-T4R 20/25W



125
Ø135
VND09-T5R 30/40W



85
Ø83
VND10-T3R 12/15W



105
Ø103
VND10-T4R 20/25W



125
Ø123
VND10-T5R 30/40W




Honeycomb



Spread Lens




Diffusion Lens



Black



White



Silver



85*85
Ø95*95
VND09-T3S 12/15W



105*105
Ø115*115
VND09-T4S 20/25W



125*125
Ø135*135
VND09-T5S 30/40W



85*85
Ø83*83
VND10-T3S 12/15W



105*105
Ø103*103
VND10-T4S 20/25W



125*125
Ø123*123
VND10-T5S 30/40W



Honeycomb



Spread Lens



Diffusion Lens



Black



White



Silver



85
Ø94
VND11-F3 25/30W



105
Ø115
VND11-F4 35/45W



125
Ø135
VND11-F5 55/60W



150
Ø165
VND11-F6 35/40W



150
Ø165
VND11-F7 60/80W



85
Ø94
VND11-T3 25/30W



105
Ø115
VND11-T4 35/45W



125
Ø135
VND11-T5 55/60W



85
Ø94
VND12-T3 25/30W



105
Ø115
VND12-T4 35/45W



125
Ø135
VND12-T5 55/60W




75
Ø83
VND13-T3 8/10W

75
Ø83
VND14-T3 8/10W

95
Ø102
VND14-T4 20/25W

NEW







⌀ 55
⌀61
VND15-F2R 6/8W



⌀ 75
⌀84
VND15-F3R 10/15W



⌀ 100
⌀112
VND15-F4R 20/25/35W



⌀ 75
⌀84
VND15-F3RO 10/15W



⌀ 55
⌀75
VND15-F2RL 6/8W



⌀ 75
⌀100
VND15-F3RL 10/15W



⌀ 100
⌀130
VND15-F4RL 20/25/35W



⌀ 75
⌀84
VND15-F3RLO 10/15W



⌀ 55
⌀61
VND15-T2R 6/8W



⌀ 75
⌀84
VND15-T3R 10/15W



⌀ 100
⌀112
VND15-T4R 20/25/35W



⌀ 75
⌀84
VND15-T3RE 10/15W



⌀ 55
⌀75
VND15-T2RL 6/8W



⌀ 75
⌀100
VND15-T3RL 10/15W



⌀ 100
⌀130
VND15-T4RL 20/25/35W



⌀ 75
⌀84
VND15-T3RLE 10/15W



75*75
83*83
VND15-F3S 10/15W




75*75
122*75
VND15-F3SL 10/15W




75*75
83*83
VND15-F3SW 10/15W




75*75
122*75
VND15-F3SLW 10/15W



75*75
83*83
VND15-T3S 10/15W



75*75
122*75
VND15-T3SL 10/15W





75*75
Ø85*85
VML01-1T3 8/12/15W

147*75
Ø157*85
VML01-2T3 8/12/15W


200*75
Ø229*85
VML01-3T3 8/12/15W




105*105
Ø15*115
VML01-1T4 15/20/25W

206*105
Ø216*115
VML01-2T4 15/20/25W

308*105
Ø315*115
VML01-3T4 15/20/25W



Honeycomb



80*80
Ø150*80
VML02-1T3 8/12/15W

150*80
Ø221*80
VML02-2T3 8/12/15W


222*80
Ø222*150
VML02-3T3 8/12/15W



100*100
Ø180*100
VML02-1T4 15/20/25W

211*110
Ø211*180
VML02-2T4 15/20/25W

313*110
Ø313*180
VML02-3T4 15/20/25W



Honeycomb



75*75
Ø85*85
VML03-1T3 8/12/15W



147*75
Ø157*85
VML03-2T3 8/12/15W



220*75
Ø229*85
VML03-3T3 8/12/15W




75*75
Ø85*85
VML04-1T3 8/12/15W



147*75
Ø157*85
VML04-2T3 8/12/15W



220*75
Ø229*85
VML04-3T3 8/12/15W



Honeycomb




75*75
Ø85*85
VML07-1T3 8/12/15W



147*75
Ø157*85
VML07-2T3 8/12/15W




220*75
Ø229*85
VML07-3T3 8/12/15W




80*80
Ø150*80
VML08-1T3 8/12/15W



150*80
Ø221*80
VML08-2T3 8/12/15W



222*80
Ø222*150
VML08-3T3 8/12/15W



Honeycomb



④ 107*107
Ø120*120
VML06-1T3 8/15W



④ 207*107
Ø220*120
VML06-2T3 8/15W



④ 307*107
Ø318*120
VML06-3T3 8/15W



④ 122*122
Ø135*135
VML06-1T3 20/25W



④ 237*122
Ø250*135
VML06-2T3 20/25W



④ 250*122
Ø363*135
VML06-3T3 20/25W



④ 135*135
Ø148*148
VML06-1T3 30/40W



④ 263*135
Ø275*148
VML06-2T3 30/40W



④ 390*135
Ø402*148
VML06-3T3 30/40W



Honeycomb



Spread Lens



Diffusion Lens




75
Ø85
VFR01R02 8/10/12/15W



75
Ø85
VFR02R02 8/10/12/15W



75*75
Ø85*85
VFR01S01 8/10/12/15W



75*75
Ø85*85
VFR02S01 8/10/12/15W



75
Ø88
VFR01R01-WO 8/10/12/15W



75
Ø88
VFR02R01-WO 8/10/12/15W



75
Ø88
VFR02R01-WE 8/10/12/15W



75
Ø88
VFR01R01-WO 8/10/12/15W



75
Ø88
VFR02R01-WO 8/10/12/15W



75
Ø88
VFR02R01-WE 8/10/12/15W



75
Ø88
VFR01R01-WO 8/10/12/15W



VL-MD01A 6/8W



VL-MD01B 8/10/12W



VL-MD01C 12/15W




86*46
VLL01-T2 6W



116*46
VLL01-T3 9W




176*46
VLL01-T5 15W




326*46
VLL01-T10 30W



68*28
VLL02-F3 6W




127*28
VLL02-F6 12W




148*28
VLL02-F12 18W



78*48
VLL02-T3 6W



137*45
VLL02-T6 12W




258*45
VLL02-T12 18W



75*35
VLL03-F3 6W



135*35
VLL03-F6 12W



255*35
VLL03-F12 18W



73*49
VLL04-F1 5W




111*49
VLL04-F2 10W



149*49
VLL04-F3 10/15W



225*49
VLL04-F5 20/25W




379*49
VLL04-F9 30/35/40W



Honeycomb



Reflector



Anti-glare tube



Black



White



Gold



55*90
VMD01-F05 8/10W



65*100
VMD01-F06 10/12W



85*120
VMD01-F08 12/15W



96*135
VMD01-F09 20/25W



115*135
VMD01-F11 30W



140*160
VMD01-F14 40W



170*198
VMD01-F17 60W




185*214
VMD01-F18 80W



6*60*120
VMD02-F2 8/10W



75*75*132
VMD02-F3 12/15W



83*125
VMD03-F3 15W



123*156
VMD03-F4 20W



160*186
VMD03-F6 40W



200*212
VMD03-F7 55W



123*156
VMD04-F4 20W



160*186
VMD04-F6 40W



200*212
VMD04-F7 55W



55°L140
VTS01-5R 8/12W



65°L155
VTS01-6R 15/20W



85°L175
VTS01-8R 25/30W



96°L185
VTS01-9R 35/40W



55°L142
VTS02-5R 8/12W



65°L135
VTS02-6R 15/20W



85°L140
VTS02-8R 25/30W



96°L146
VTS02-9R 35/40W



65°L157
VTS03-6R 15/20W



85°L170
VTS03-8R 25/30W



96°L178
VTS03-9R 35/40W



Honeycomb



Spread Lens



Diffusion Lens



Tube



50*50*L140
VTS04-5S 8/12W



60*60*L155
VTS04-6S 15/20W



75*75*L175
VTS04-7S 25/30W



45*L165
VTS05-4R 20/25W



60*L150
VTS05-6R 25/30W



70*L163
VTS05-7R 30/35W



75*L157
VTS05-8R 30/35W



81*L100
VTS06-8R 20/25W



94*L117
VTS06-9R 30/40W



Honeycomb



Spread Lens



Diffusion Lens



ZOOM
ZOOM + DIM
ZOOM + DIM + CCT



55°L143
VTS06-5R 12/15W



65°L163
VTS06-6R 20/25W



Honeycomb



Spread Lens




Diffusion Lens



Tube




65*L162
VTS07-6R 15/20W



76*L160
VTS07-7R 25/30W



33*304
VTS08-10S 30W



33*604
VTS08-20S 30/40W



33*304
VTS09-10D 20/25W



33*604
VTS09-20D 20/30/40W



55*L142
VRS01-5R 8/12W



65*L161
VRS01-6R 15/20W



85*L193
VRS01-8R 25/30W



33*304
VTS08-10S 30W



55*L110
VMS01-5R 8/12W




65*L145
VMS01-6R 15/20W



75*L182
VMS01-7R 25/30W



Compact size-high power



Deep diffuser
Anti-glare

No dark area

Deep-Flat



Pure aluminum heatsink



10W & 12W



14W & 18W



20W & 25W






25W & 30W




Embedded deep anti dazzle downlight

The light source is hidden deeply to achieve good anti glare effect, and the lattice lens is added to further strengthen the prevention of glare, so as to obtain comfortable light output and meet the lighting place with high requirements for glare control





VPL01-30R 20W




VPL01-30M 20W

RING SPOTLIGHT SERIES



VR103WB
18*3W
 Ø615mm



VR103WC
24*3W
 Ø915mm



VR103WA
10*3W
 Ø310mm



Borderless embedded installation

